


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>G06F 17/30</b>		A1	(11) International Publication Number: <b>WO 99/57656</b>
		(43) International Publication Date: 11 November 1999 (11.11.99)	
(21) International Application Number: PCT/US99/09483		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 30 April 1999 (30.04.99)		<p><b>Published</b> With international search report.</p>	
(30) Priority Data: 60/083,856 1 May 1998 (01.05.98) US			
(71) Applicant (for all designated States except US): CITIZEN 1 SOFTWARE, INC. [US/US]; Suite 201, 217 Second Street, San Francisco, CA 94105 (US).			
(72) Inventors; and (73) Inventors/Applicants (for US only): BRATSOS, Timothy, G. [US/US]; 947 Wisconsin Street #2, San Francisco, CA 94107 (US). BONNEY, Peter, J., R. [US/US]; Suite 201, 217 Second Street, San Francisco, CA 94105 (US). BARR, Lynn, W. [US/US]; Suite 201, 217 Second Street, San Francisco, CA 94105 (US).			
(74) Agents: TACHNER, Adam, H. et al.; Crosby, Heafey, Roach & May, Suite 1900, 4 Embarcadero Center, San Francisco, CA 94111-4106 (US).			

(54) Title: METHOD AND APPARATUS FOR SIMULTANEOUSLY ACCESSING A PLURALITY OF DISPERSED DATABASES

## (57) Abstract

A method and apparatus for intelligent Internet searching (16), the apparatus residing as a software application on a user computer (the client) (12). A single subject database is stored on the client and accessed by the application. The majority of the single subject database content comprises a hierarchical listing of "hidden" web databases, all entries being organized by subject matter and each including a description of database content and search term entry interface customized for the particular database access page format. There are also entries in the database which provide an interface to search engines hosted at a dedicated search server. Each database is preferably updated at a regular interval, such as monthly or weekly, via remote download from a server on the WAN, or by other data transport means. A plurality of simultaneous hidden database searches may be performed by the application by linking the client to the appropriate database access pages on the network and forwarding the user desired search information. Search results are cached on the user computer for comparison to newly found search results, allowing for easy sorting of new and old data and differentiated display to the user. Desired keywords are preferably cached and shared among database search interfaces.



## METHOD AND APPARATUS FOR SIMULTANEOUSLY ACCESSING A PLURALITY OF DISPERSED DATABASES

### Inventors:

Timothy G. Bratsos

Peter J. R. Bonney

Lynn W. Barr

### Field of the Invention

The present invention is related generally to the field of database searching, and more specifically to simultaneous searching for data across a wide area network such as the Internet, the network including a plurality of clients and servers and a plurality of databases.

### Background of the Invention

A wide area computer network, or WAN, comprises a geographically disperse, interconnected plurality of computers capable of sharing data and/or processing capacity. The Internet is the world's largest WAN, growing at an annual rate some estimate to be above one thousand percent. In March of 1998, there were an estimated 320 million pages of information posted on the World Wide Web (the graphics-capable portion of the Internet), with uncounted millions of gigabytes of additional information stored in non-Web based, though Web accessible, databases. For the purpose of describing the present invention, information obtained through the Web, for example presented in Hyper Text Markup Language (HTML) and available at a consistent Uniform Resource Locator (URL) is within the "visible" web and is termed "directly accessible." Conversely, information accessible only via access to a distinct portal or other electronic doorway (even if such a portal or doorway is found on the Web) is within the hidden or "invisible" web and is termed "indirectly accessible." While there are numerous search engines and "web crawlers" that may be used to search for directly available data on the visible web, there is presently no singular source for accessing the indirectly available information on the hidden web. The present invention addresses the need for an efficient method of finding data on a large scale WAN such as the Internet, including the visible and hidden portions of the World Wide Web, and the need to efficiently update found information as content evolves and grows.

### Summary of the Invention

To address the shortcomings of the available art, the present invention provides an intelligent WAN searching apparatus which resides on a user's computer. A single subject database (e.g., a healthcare database), or a plurality of single subject databases, are stored on the client and accessed by the application. The majority of the single subject database entries comprises a hierarchical listing of hidden web databases, all entries being organized by subject matter and each including a description of database content and a search term entry interface customized for the particular database access page format. A user may establish a single query that the application then broadcasts to each desired hidden database to obtain indirectly accessible information. The results of the query are cached on the user's computer and displayed, preferably in HTML format. There are also listings in the database which provide an interface to search engines hosted at a dedicated search server. Each of these search engines includes a subject matter-limited listing of visible web sites that are particularly relevant to the database's subject. Thus, the user's query can be broadcast through the dedicated search server to obtain directly accessible information from the visible web. The search results of the visible web sites can then be displayed in HTML format similar to the results of hidden web searches. Each database is preferably updated at a regular interval, such as monthly or weekly, via remote download from a server on the WAN, or by other data transport means.

A plurality of simultaneous hidden database searches may be performed by the client application to the extent connection bandwidth is available for linking the client to the appropriate database access pages and forwarding the user's desired search information. Preferably, search results from both hidden and visible web searches are cached on the user's computer for comparison to newly found search results, allowing for easy sorting of new and old data and differentiated display to the user. Desired keywords are preferably cached and shared among database search interfaces.

### Detailed Description of a Preferred Embodiment

Referring to FIG. 1, the present invention is preferably implemented as a software application 10 executed at least primarily by a client computer 12 connected to a wide area network 16 (such as the Internet) including a plurality of client computers and server computers 14. Application 10 stores and accesses at least one single subject database. The majority of the single subject database entries comprise hierarchical listings of hidden web databases or sources, all entries being organized by subject matter and each including a description of database content, URL information to locate the database and a search protocol for the database, such as a term entry interface customized for the particular database access page format. Application 10 obtains indirectly accessible information by issuing queries to the listed hidden web databases. The single subject database entries also comprise listings for search engines hosted at a dedicated search server 17. By routing queries through the dedicated search server, application 10 obtains directly accessible information from the visible web. Application 10 also provides a timing interface 18, illustrated in FIG. 2, for the user to set times (such as by the hour or the day of the week) for the client to monitor the results of a specific hidden web database or visible web query (preferably executed through the search engine provided by client 12 for the desired hidden database or databases, or the user's desired visible web search terms).

Client 12 preferably stores the user's preferred monitoring schedule on a hard drive or similar stable memory local to the client and checks the schedule every time client application 10 is activated, as well as at predetermined intervals (e.g., every 15 minutes) thereafter while application 10 is activated. If a schedule check reveals query results are due to be monitored, client 12 obtains indirectly accessible information by sending the user's desired query to the desired sites from the database and directly accessible information by sending the query to the search engine server dedicated to a specific group of visible web sites, and retrieves the results. Client 12 is then preferably directed by application 10 to compare new results to previously retrieved results using a difference algorithm, and to display the difference in HTML format on a current results viewing page. In the case of a visible web query, a server 17 dedicated to visible web search functions (hosted by a service provider such as Citizen1, Inc., the assignee of the present invention) is preferably directed by client 12 to do a previous

Extraneous information such as advertising banners are preferably removed to allow the user to focus on new results. An example of a result comparison HTML display is provided in FIG. 5. If the query results have not changed, client 12 notifies the user. If the query results have changed, client 12 notifies the user and creates an HTML document which displays the differences between the old and new query results and highlights the differences in the body of the text on the most recent HTML results page. The provided results page preferably also provides link elements within the text to navigate between each of the differences and links to view previous and current results. Client 12 then provides the user a mechanism to view results within a browser, and replaces a previously cached HTML results document (and related graphics) with a current results document. The client application finally caches the most recent query results, and provides means for the user to view the most recent results. Client 12 will preferably only compare a newest scheduled search result to a first search or subsequent, most recently changed result.

The preferred process for query comparison and difference display for the visible web is largely similar to the above-described process for hidden databases, save for the difference comparison. If a particular query has not already been executed, client 12 formats and sends the query to server 17 at a next predetermined time interval. Server 17 then sends an HTML result page and results summary document back to client, in response to which client provides to user the usual means for viewing these results in a Web browser, and client caches both an HTML results page and a summary document. At each subsequent monitoring time, client 12 formats and sends both query and a previous result summary document to server 17, which uses the previous summary document and current query summary document to compare current query results to previous results, and sends an HTML-formatted changed results page back to client 12 (thus, the page displays only new or different results, not unchanged results). Client 12 then provides the customary means for the user to view results in a Web browser, and client caches the newest HTML results page and newest summary document for later comparison. Server 17 may also be configured to maintain a user's query and search preferences and run the monitoring functions automatically. Server 17 can then notify user of any changed results by communicating directly with client 12 during the next execution of the application, by email, or by network independent methods such as paging or automated phone

embodiments may be provided. Specifically, the invention has been described with a view towards implementations using the internet as the WAN. As such the preferred means of storing and displaying information is in HTML form. However, the invention is suitable for other WAN applications and the specific implementations may be tailored appropriately. Further, a variety of data comparison algorithms may be utilized to increase system throughput and are clearly within the scope and spirit of this description. Such other embodiments are intended to fall within the scope of the present invention. Consequently, the above description is intended to be exemplary only.

5. A computer-readable medium containing instructions for controlling a computer to automate searching of a wide area network, by:
- a) maintaining a database related to a desired subject, wherein the database comprises a plurality of entries, each entry locating a source for indirectly and directly accessible information and a search protocol for the source;
  - b) issuing a query to desired sources;
  - c) retrieving the results of the query; and
  - d) displaying the results.
6. The computer-readable medium of claim 1, further comprising:
- e) issuing the query to the desired sources after a given time interval;
  - f) retrieving the results of the query issued in step e);
  - g) comparing the results of the query issued in step e) to the results of the query in step c); and
  - h) displaying any changes determined in step g).

5. A computer-readable medium containing instructions for controlling a computer to automate searching of a wide area network, by:
- a) maintaining a database related to a desired subject, wherein the database comprises a plurality of entries, each entry locating a source for indirectly and directly accessible information and a search protocol for the source;
  - b) issuing a query to desired sources;
  - c) retrieving the results of the query; and
  - d) displaying the results.
6. The computer-readable medium of claim 1, further comprising:
- e) issuing the query to the desired sources after a given time interval;
  - f) retrieving the results of the query issued in step e);
  - g) comparing the results of the query issued in step e) to the results of the query in step c); and
  - h) displaying any changes determined in step g).





## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :

G06F 17/30

A1

(11) International Publication Number:

WO 99/57656

(43) International Publication Date: 11 November 1999 (11.11.99)

(21) International Application Number: PCT/US99/09483

(22) International Filing Date: 30 April 1999 (30.04.99)

(30) Priority Data:

60/083,856

1 May 1998 (01.05.98)

US

(71) Applicant (for all designated States except US): CITIZEN I SOFTWARE, INC. [US/US]; Suite 201, 217 Second Street, San Francisco, CA 94105 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BRATSOS, Timothy, G. [US/US]; 947 Wisconsin Street #2, San Francisco, CA 94107 (US). BONNEY, Peter, J., R. [US/US]; Suite 201, 217 Second Street, San Francisco, CA 94105 (US). BARR, Lynn, W. [US/US]; Suite 201, 217 Second Street, San Francisco, CA 94105 (US).

(74) Agents: TACHNER, Adam, H. et al.; Crosby, Heafey, Roach &amp; May, Suite 1900, 4 Embarcadero Center, San Francisco, CA 94111-4106 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: METHOD AND APPARATUS FOR SIMULTANEOUSLY ACCESSING A PLURALITY OF DISPERSED DATABASES

## (57) Abstract

A method and apparatus for intelligent Internet searching (16), the apparatus residing as a software application on a user computer (the client) (12). A single subject database is stored on the client and accessed by the application. The majority of the single subject database content comprises a hierarchical listing of "hidden" web databases, all entries being organized by subject matter and each including a description of database content and search term entry interface customized for the particular database access page format. There are also entries in the database which provide an interface to search engines hosted at a dedicated search server. Each database is preferably updated at a regular interval, such as monthly or weekly, via remote download from a server on the WAN, or by other data transport means. A plurality of simultaneous hidden database searches may be performed by the application by linking the client to the appropriate database access pages on the network and forwarding the user desired search information. Search results are cached on the user computer for comparison to newly found search results, allowing for easy sorting of new and old data and differentiated display to the user. Desired keywords are preferably cached and shared among database search interfaces.



## METHOD AND APPARATUS FOR SIMULTANEOUSLY ACCESSING A PLURALITY OF DISPERSED DATABASES

Inventors:  
Timothy G. Bratsos  
Peter J. R. Bonney  
Lynn W. Barr

### Field of the Invention

The present invention is related generally to the field of database searching, and more specifically to simultaneous searching for data across a wide area network such as the Internet, the network including a plurality of clients and servers and a plurality of databases.

### Background of the Invention

A wide area computer network, or WAN, comprises a geographically disperse, interconnected plurality of computers capable of sharing data and/or processing capacity. The Internet is the world's largest WAN, growing at an annual rate some estimate to be above one thousand percent. In March of 1998, there were an estimated 320 million pages of information posted on the World Wide Web (the graphics-capable portion of the Internet), with uncounted millions of gigabytes of additional information stored in non-Web based, though Web accessible, databases. For the purpose of describing the present invention, information obtained through the Web, for example presented in Hyper Text Markup Language (HTML) and available at a consistent Uniform Resource Locator (URL) is within the "visible" web and is termed "directly accessible." Conversely, information accessible only via access to a distinct portal or other electronic doorway (even if such a portal or doorway is found on the Web) is within the hidden or "invisible" web and is termed "indirectly accessible." While there are numerous search engines and "web crawlers" that may be used to search for directly available data on the visible web, there is presently no singular source for accessing the indirectly available information on the hidden web. The present invention addresses the need for an efficient method of finding data on a large scale WAN such as the Internet, including the visible and hidden portions of the World Wide Web, and the need to efficiently update found information as content evolves and grows.

### Summary of the Invention

To address the shortcomings of the available art, the present invention provides an intelligent WAN searching apparatus which resides on a user's computer. A single subject database (e.g., a healthcare database), or a plurality of single subject databases, are stored on the client and accessed by the application. The majority of the single subject database entries comprises a hierarchical listing of hidden web databases, all entries being organized by subject matter and each including a description of database content and a search term entry interface customized for the particular database access page format. A user may establish a single query that the application then broadcasts to each desired hidden database to obtain indirectly accessible information. The results of the query are cached on the user's computer and displayed, preferably in HTML format. There are also listings in the database which provide an interface to search engines hosted at a dedicated search server. Each of these search engines includes a subject matter-limited listing of visible web sites that are particularly relevant to the database's subject. Thus, the user's query can be broadcast through the dedicated search server to obtain directly accessible information from the visible web. The search results of the visible web sites can then be displayed in HTML format similar to the results of hidden web searches. Each database is preferably updated at a regular interval, such as monthly or weekly, via remote download from a server on the WAN, or by other data transport means.

A plurality of simultaneous hidden database searches may be performed by the client application to the extent connection bandwidth is available for linking the client to the appropriate database access pages and forwarding the user's desired search information. Preferably, search results from both hidden and visible web searches are cached on the user's computer for comparison to newly found search results, allowing for easy sorting of new and old data and differentiated display to the user. Desired keywords are preferably cached and shared among database search interfaces.

### Detailed Description of a Preferred Embodiment

Referring to FIG. 1, the present invention is preferably implemented as a software application 10 executed at least primarily by a client computer 12 connected to a wide area network 16 (such as the Internet) including a plurality of client computers and server computers 14. Application 10 stores and accesses at least one single subject database. The majority of the single subject database entries comprise hierarchical listings of hidden web databases or sources, all entries being organized by subject matter and each including a description of database content, URL information to locate the database and a search protocol for the database, such as a term entry interface customized for the particular database access page format. Application 10 obtains indirectly accessible information by issuing queries to the listed hidden web databases. The single subject database entries also comprise listings for search engines hosted at a dedicated search server 17. By routing queries through the dedicated search server, application 10 obtains directly accessible information from the visible web. Application 10 also provides a timing interface 18, illustrated in FIG. 2, for the user to set times (such as by the hour or the day of the week) for the client to monitor the results of a specific hidden web database or visible web query (preferably executed through the search engine provided by client 12 for the desired hidden database or databases, or the user's desired visible web search terms).

Client 12 preferably stores the user's preferred monitoring schedule on a hard drive or similar stable memory local to the client and checks the schedule every time client application 10 is activated, as well as at predetermined intervals (e.g., every 15 minutes) thereafter while application 10 is activated. If a schedule check reveals query results are due to be monitored, client 12 obtains indirectly accessible information by sending the user's desired query to the desired sites from the database and directly accessible information by sending the query to the search engine server dedicated to a specific group of visible web sites, and retrieves the results. Client 12 is then preferably directed by application 10 to compare new results to previously retrieved results using a difference algorithm, and to display the difference in HTML format on a current results viewing page. In the case of a visible web query, a server 17 dedicated to visible web search functions (hosted by a service provider such as Citizen1, Inc., the assignee of the present invention) is preferably directed by client 12 to do a previous

Extraneous information such as advertising banners are preferably removed to allow the user to focus on new results. An example of a result comparison HTML display is provided in FIG. 5. If the query results have not changed, client 12 notifies the user. If the query results have changed, client 12 notifies the user and creates an HTML document which displays the differences between the old and new query results and highlights the differences in the body of the text on the most recent HTML results page. The provided results page preferably also provides link elements within the text to navigate between each of the differences and links to view previous and current results. Client 12 then provides the user a mechanism to view results within a browser, and replaces a previously cached HTML results document (and related graphics) with a current results document. The client application finally caches the most recent query results, and provides means for the user to view the most recent results. Client 12 will preferably only compare a newest scheduled search result to a first search or subsequent, most recently changed result.

The preferred process for query comparison and difference display for the visible web is largely similar to the above-described process for hidden databases, save for the difference comparison. If a particular query has not already been executed, client 12 formats and sends the query to server 17 at a next predetermined time interval. Server 17 then sends an HTML result page and results summary document back to client, in response to which client provides to user the usual means for viewing these results in a Web browser, and client caches both an HTML results page and a summary document. At each subsequent monitoring time, client 12 formats and sends both query and a previous result summary document to server 17, which uses the previous summary document and current query summary document to compare current query results to previous results, and sends an HTML-formatted changed results page back to client 12 (thus, the page displays only new or different results, not unchanged results). Client 12 then provides the customary means for the user to view results in a Web browser, and client caches the newest HTML results page and newest summary document for later comparison. Server 17 may also be configured to maintain a user's query and search preferences and run the monitoring functions automatically. Server 17 can then notify user of any changed results by communicating directly with client 12 during the next execution of the application, by email, or by network independent methods such as paging or automated phone

embodiments may be provided. Specifically, the invention has been described with a view towards implementations using the internet as the WAN. As such the preferred means of storing and displaying information is in HTML form. However, the invention is suitable for other WAN applications and the specific implementations may be tailored appropriately. Further, a variety of data comparison algorithms may be utilized to increase system throughput and are clearly within the scope and spirit of this description. Such other embodiments are intended to fall within the scope of the present invention. Consequently, the above description is intended to be exemplary only.




FIG. 4

**CiteLine** Tools Find Help

**R&D** **Medicine** **Industry** **Business** **Reference**

**Discovery** **Development** **Regulatory** **News/Journals** **Organizations**

☐ Visible Website (can be searched with Citizen 1 Search Engine or individually)  
☐ Invisible Web database (must be searched individually)

☐ Compounds/Materials  
☐ Testing/Screening  
☐ Computer Technology  
☐ Statistics  
☐ Discovery Research Journals  
☐ Resources  
NEW ☐ American Chemical Society Publications  
☐ Annual Reviews  
NEW ☐ Beilstein Information - NetFire (article abstracts by author/title/keyword)  
☐ Biochemical Journal (biochemistry articles by keyword)  
☐ **Biological, Agricultural & Medical Sciences INFOMINE (biological/ag)**  
NEW ☐ Combinatorial Chemistry & High Throughput Screening

**Search Results: 0 loading, 5 done (Monitored: 11, 3 changed)**

☐ **Biological, Agricultural & Med...** **crohn's+Keywords+S...** **Data recei...**  
☐ **IBM Patent Server (patent...** **1995-Present+crohn's** **Change...**

**Biological, Agricultural & Medical Sciences INFOMINE**

**Search Notes:** Enter keyword(s) and select search criteria. Use '#' to search using word roots. Example: **molecul#**

Enter keyword(s):  
crohn's

**Fields to Search**

☒ Keywords  
☒ Subjects  
☒ Title

**Display Options**

☐ Hide My Identity

FIG. 3



FIG. 6

Dialog Title	Id	Description
Splash screen	C100	Application splash screen. Displays until application has loaded.
Expiration Splash screen	C200	Displays immediately after application has completed loading. Contains product name, version, and expiration date.
Main dialog	C300	Main application dialog.
Main dialog, top section	C310	Topmost portion of Main application dialog.
Main dialog, Tools submenu	C312	Tools submenu of Main application dialog.
Main dialog, Help submenu	C314	Help submenu of Main application dialog.
Main dialog, Category windows	C320	Category windows of Main application dialog.
Main dialog, Category/Bookmarks windows	C322	Category/Bookmarks windows of the Main application dialog.
Main dialog, Bookmark Actions submenu	C324	Bookmark Actions submenu of the Main application dialog.
Main dialog, Site Description window	C330	Site Description window of Main application dialog.
Main dialog, Site Description/Bookmarks window	C332	Bookmark Provider windows of the Main application dialog.
Main dialog, Search Results window	C340	Search Results window of Main application dialog.
Search Results window submenu	C345	Search Results window submenu.
E-mail Search Results dialog	C347	E-mail Search Results dialog.
Site Monitor Schedule dialog	C370	Used to schedule Site Monitors.
Site Monitor, Custom Schedule dialog	C373	Used to schedule Site Monitors for specific dates/times.
Site Monitor, E-mail Notification Options dialog	C375	Used to set e-mail notification options for a monitored site.
Export Bookmarks dialog	C380	Used to Export a bookmark Folder or a single resource.
Import Bookmarks dialog	C390	Used to Import bookmarks.
Setup dialog	C400	Main setup dialog.
Configure Proxies dialog	C425	Reached from Setup dialog, configures proxies.
Configure Cache dialog	C450	Reached from Setup dialog, configures cache for multi-user operation.
Registration dialog	C500	Reached from Setup dialog and at start up (if registration id has expired), allows entry of a new registration id.
Find dialog	C600	Locate resources based on keywords.
About dialog	C700	About dialog.
How To Use CiteLine dialog	C800	Dialog with quick help on how to use CiteLine.
How To Contact Citizen 1 dialog	C850	Dialog listing phone numbers and addresses for Citizen 1 offices.
Toolbar dialog	C900	Used for navigating and viewing search results.

2/7

18

**Site Monitor**

**Schedule**

Select when you would like the search to be performed.  
Remember CiteLine MUST be running for scheduled searches to run.

☐ Don't schedule search

☐ Every time CiteLine starts up

☐ Every  hours

☒ Every

<input checked="" type="checkbox"/>	Sunday	at	<input type="text" value="07"/>	<input type="text" value="00"/>	<input type="text" value="AM"/>
<input type="checkbox"/>	Monday	at	<input type="text" value="12"/>	<input type="text" value="00"/>	<input type="text" value="PM"/>
<input type="checkbox"/>	Tuesday	at	<input type="text" value="12"/>	<input type="text" value="00"/>	<input type="text" value="PM"/>
<input checked="" type="checkbox"/>	Wednesday	at	<input type="text" value="12"/>	<input type="text" value="15"/>	<input type="text" value="PM"/>
<input type="checkbox"/>	Thursday	at	<input type="text" value="12"/>	<input type="text" value="00"/>	<input type="text" value="PM"/>
<input checked="" type="checkbox"/>	Friday	at	<input type="text" value="10"/>	<input type="text" value="00"/>	<input type="text" value="PM"/>
<input checked="" type="checkbox"/>	Sunday	at	<input type="text" value="09"/>	<input type="text" value="00"/>	<input type="text" value="PM"/>

☐ Every  day of the month

☐ On  /  /  at  :

**Monitoring Options**

☒ Only show search results if they are different from last time

☐ Always show search results in search results window

OK

Cancel

FIG. 2

4/7




FIG. 4

Dialog Title	Id	Description
Splash Screen	C100	Application splash screen. Displays until application has loaded.
Expiration Splash screen	C200	Displays immediately after application has completed loading. Contains product name, version, and expiration date.
Main dialog	C300	Main application dialog.
Main dialog, top section	C310	Topmost portion of Main application dialog.
Main dialog, Tools submenu	C312	Tools submenu of Main application dialog.
Main dialog, Help submenu	C314	Help submenu of Main application dialog.
Main dialog, Category windows	C320	Category windows of Main application dialog.
Main dialog, Category/Bookmarks windows	C322	Category/Bookmarks windows of the Main application dialog.
Main dialog, Bookmark Actions submenu	C324	Bookmark Actions submenu of the Main application dialog.
Main dialog, Site Description window	C330	Site Description window of Main application dialog.
Main dialog, Site Description/Bookmarks window	C332	Bookmark Provider windows of the Main application dialog.
Main dialog, Search Results window	C340	Search Results window of Main application dialog.
Search Results window submenu	C345	Search Results window submenu.
E-mail Search Results dialog	C347	E-mail Search Results dialog.
Site Monitor Schedule dialog	C370	Used to schedule Site Monitors.
Site Monitor, Custom Schedule dialog	C373	Used to schedule Site Monitors for specific dates/times.

FIG. 6A

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US99/09483

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> IPC(6) GO6F 17/30 US CL 707/10, 3, 5, 102, 501, 503 According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) U.S. 707/10, 3, 5, 102, 501, 503  Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,692,073 A (CASS) 25 November 1997; see abstract; figures 9, 22, and 23; col.3 line 22 through col.4 line 20	1-6
X,P ----- Y,P	US 5,787,470 A (DESIMONE et al.) 28 July 1998; abstract; figures 1-3; col.2 lines 26-59; col.5 line 49 through col.6 line 67	1,3,5 ----- 2,4,6
Y,P	US 5,855,020 A (KIRSCH) 29 December 1998; abstract; figure 4; col.7 line 19 through col.8 line 25	1-6
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* "A" "E" "L" "Q" "P"	Special categories of cited documents: document defining the general state of the art which is not considered to be of particular relevance earlier document published on or after the international filing date document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed	"T" "X" "Y" "&" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family
Date of the actual completion of the international search 16 JUNE 1999		Date of mailing of the international search report 02 JUL 1999
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer Anton W. Petting <i>For [Signature]</i> Telephone No. (703) 305-8449